

Bournemouth, Dorset and Poole
Local Aggregates Assessment 2016

Incorporating data from 2007 to 2016

Bournemouth Borough Council
Dorset County Council
Borough of Poole

March 2018

Contents

Summary	4
Table 1 – 2015/2016 Comparison	4
Recycled aggregate	4
Marine dredged sand and gravel	5
Crushed rock – land-won	5
Crushed rock – rail imported	5
Crushed rock – road imported	5
Land-won sand and gravel	5
Preparation of the Local Aggregates Assessment 2016.....	7
The Resource	8
Sand and Gravel	8
Figure 1 – The Sand and Gravel Resource with Aggregate Quarries Operational in 2016	9
Crushed rock.....	10
Historic Sales – crushed rock and sand and gravel	10
Table 2 – Aggregate Sales	11
Figure 2 – Aggregate Sales 2000 - 2016	12
Crushed Rock.....	14
Landbank.....	14
Importation of Crushed Granite.....	14
Rail Imports.....	14
Road imports.....	15
Sand and Gravel	16
Landbank.....	16
New Permissions	17
Current Supply of Land Won Aggregate – Reserves and Landbanks.	17
Aggregates landbank.....	17
Table 3 Sand and Gravel and Crushed Rock - Sales, Reserves and Landbank Figures.....	18
Monitoring Separate Sand and Gravel Landbanks	19
Supply from other Mineral Planning Authorities	20
Quarries in Dorset.....	20
Table 4 – Status of Permitted Sand and Gravel Quarries in 2016.....	20
Other Sources of Aggregate Supply for Dorset.....	22

Marine Dredged Aggregate.....	22
Table 5 – Summary of Marine Dredged Sales (mt).....	22
Poole Wharf	22
Figure 5: Marine Dredged Aggregate – South Coast Region.....	23
Constraints and Future Supply.....	24
Figure 6 – Reserves and Reserve Life.....	25
Recycled Aggregates	26
Table 6 – Summary of Recycled Aggregate Sales (mt).....	26
Figure 7 – Fixed Recycling Facilities 2016.....	27
Table 7 - Recycled Aggregate Sites and Operators.....	28
Constraints and Future Supply.....	28
Uses of Dorset’s Aggregate Resource.....	29
Exports from Dorset.....	29
Table 8 – Destination of aggregates sold in Dorset in 2014.....	30
Consumption within Dorset.....	30
Future Demand.....	31
Built development.....	31
Table 9 - Proposed Housing Development in Local Plans / Development Plan Documents in Bournemouth, Dorset and Poole.....	32
Historic Levels of Development.....	32
Table 10 - Net Annual Completions.....	33
Projected Development beyond current Plan periods.....	33
Table 11 - Bournemouth, Dorset and Poole - Projected development beyond current Plans.....	34
Maintaining Supply.....	35
Capacity and Constraints	35
Final Comment	36

Summary

E.1. In Bournemouth, Dorset and Poole, total sales of all types of aggregate in 2016 were 2.0 million tonnes (mt), a decrease of some 150,000 tonnes from the 2015 figure of 2.2 mt. The total sales figures for 2015 and 2016, broken down by aggregate type, are set out in Table ES 1 below:

Table ES 1 – 2015/2016 Comparison

Type of Aggregate	2015			2016		
		10 year average**	3 year average**		10 year average**	3 year average**
Recycled	327,178 * (15%)	0.27	0.32	346,157 * (17%)	0.29	0.33
Marine Dredged	87,268 (4%)	0.09	0.09	82,750 (4%)	0.09	0.09
Crushed Rock – Local Land-won	239,517 (11%)	0.23	0.23	197,873 (10%)	0.23	0.24
Land-won Sand and Gravel	1,501,031 (70%)	1.55	1.61	1,386,099 (69%)	1.51	1.54
Totals	2,154,994 (100%)	2.14	2.25	2,012,879 (100%)	2.12	2.20

* Partly estimated due to lack of returns from some operators

** million tonnes

Recycled aggregate

E.2. In 2016 recycled aggregate sales increased. As noted, sales are likely to be higher than is indicated by recording output from permitted sites. Permitted capacity is far in excess of this, and it is assumed that output could increase, provided the source of supply and markets were both available.

Marine dredged sand and gravel

- E.3. In 2016, the wharf at Poole imported 82,750 tonnes of aggregate, a slight decrease over the previous year. Indications are that it could import more if demand existed. The highest amount imported since figures were recorded in 2003 was 110,000 tonnes in 2008, indicating a capacity for increased importation of an additional 20,000 tonnes per annum. Supply is available.

Crushed rock – land-won

- E.4. In 2016, 197,873 tonnes of crushed rock were produced. For crushed rock, the 10 year average sales level is approximately 230,000 tonnes per annum. The highest level of annual sales since 1999 was 440,000 in 2001. This indicates there is capacity to increase sales by approximately 200,000 tonnes per annum. The landbank is estimated to be at least 50 years and it is considered that sales could increase if demand existed, subject to other constraints such as access between quarries and markets. The Mineral Planning Authority considers it appropriate to continue to use the 10 year average to determine the landbank.

Crushed rock – rail imported

- E.5. In 2016 the Hamworthy rail depot was not in use and no crushed rock was imported by rail from Somerset or elsewhere. The maximum amount imported in any one year since 2003 was 160,000 tonnes in 2004. The 10 year average, measured from 2003 to 2012, was some 90,000 tonnes per annum. Imports have resumed (from February 2017) and this indicates that there is capacity to import at least 90,000 tonnes per annum and this could increase provided demand existed and subject to other constraints.

Crushed rock – road imported

- E.6. Approximately 260,000 tonnes of crushed rock was imported by road in 2014, primarily from Somerset. There are no planning restrictions on the amount that can enter Dorset this way and Somerset's landbank is adequate to maintain sales so subject to other constraints (e.g. traffic volumes) it is expected that supply will be maintained and can increase to meet demand as required.

Land-won sand and gravel

- E.7. Land-won sand and gravel, particularly Poole Formation sand, is by far the highest proportion of the 'mix' of supply of aggregate for Bournemouth, Dorset and Poole. There was a decrease in sales between 2015 and 2016 as shown in the table above. At 1.4 mt, sales in 2016 were below both the ten year average figure of 1.55 mt and the three year average figure of 1.61 mt.
- E.8. This decrease in sales may be a response to uncertainty in economic forecasts. It will also include the fact of decreasing production from some of the Poole Formation sand quarries, as reserves decline. It is also noted that the rate of housing completions, one possible measure of future demand, is likely to increase in the future although no sharp, short-term increases are expected. There are no other projects likely to lead to sharp, sudden changes in demand.
- E.9. Future sales will be met from existing permitted reserves together with the sites and areas to be identified and allocated through the emerging Mineral Sites Plan. Since sales have shown a decline, rather than a continued increase, the Mineral Planning Authority is inclined to use the ten-year average for the coming year to determine the landbank and to estimate likely future demand and reserve depletion. This will be reviewed again for the Local Aggregates Assessment 2017.

- E.10. All sources of aggregate demonstrate capacity for some increase in supply, should demand increase, and no sharp increases in demand are expected in the next year. In the longer term, there are adequate landbanks for sand and gravel and crushed rock. The emerging Mineral Sites Plan seeks to identify and allocate adequate new sites to maintain production and sales and allow for flexibility in the market. The Mineral Planning Authority has reasonable confidence that sites will be identified and permitted to maintain supply at the level of provision as set out in Policy AS1 of the 2014 Bournemouth, Dorset and Poole Minerals Strategy. If monitoring of supply shows that the identified need is unlikely to be delivered, it may become necessary to review the strategy/policies.
- E.11. **It is therefore considered that it is appropriate at this time to continue to use the 10 year average figure of 1.51 mtpa (for sand and gravel) and 0.23 mtpa (for crushed rock) as set out in this Local Aggregates Assessment, to establish the size of the landbank and level of provision for both sand and gravel and crushed rock.**

Preparation of the Local Aggregates Assessment 2016

- 1.1. Aggregates are hard granular (mineral) materials, essential requirements for a range of uses in society. They are raw materials for the construction industry, required for built development, manufacturing and the maintenance of infrastructure such as roads and sea defences. They also have other uses, including for recreational facilities and in horticulture/landscaping. They are required to support economic development. They may be primary (specifically excavated or dredged for aggregate use), secondary (produced as a by-product of some other process or excavation) or recycled from some appropriate waste material.
- 1.2. Land-won or primary aggregates, in Dorset, are either quarried from limestone deposits and crushed to various sizes (crushed rock) or quarried from sand/gravel formations, both bedrock or superficial, processed and sold. Marine aggregates are dredged from the sea bed. Sand is produced alongside ball clay but in Dorset it is classified as primary aggregate, not secondary, as it is generally located above the ball clay. No secondary aggregate is produced in Dorset. Recycled aggregates are derived from processing construction, demolition and excavation waste.
- 1.3. Paragraph 145 of the National Planning Policy Framework (DCLG, 2012) requires Mineral Planning Authorities (MPAs) to *'plan for a steady and adequate supply of aggregates by:*
 - *preparing an annual Local Aggregate Assessment, either individually or jointly by agreement with another or other mineral planning authorities, based on a rolling average of 10 years sales data and other relevant local information, and an assessment of all supply options (including marine dredged, secondary and recycled sources)'*
- 1.4. This Local Aggregate Assessment (LAA) is prepared in compliance with this requirement and reviews provision of various types of aggregates from various sources in the Bournemouth, Dorset and Poole Councils (BDP) area. It also considers likely future demand for and feasibility of supply of aggregates for the future. The LAA includes data collected up to and including 2016. The most recent extended monitoring survey was in 2014. This collected data on aggregate movements between MPAs and gave a picture of relative levels of consumption nationally and regionally. The outcomes of that survey are used in this LAA, including information on flows of aggregate to and from Dorset.
- 1.5. The LAA is intended to provide an annually-updated evidence base, contributing to monitoring of aggregate provision and informing MPAs' production/review of minerals plans. National Planning Policy Guidance (NPPG) refers to LAAs containing three elements:
 - a forecast of the demand for aggregates based on both the rolling average of 10-years sales data and other relevant local information;
 - an analysis of all aggregate supply options, as indicated by landbanks, mineral plan allocations and capacity data e.g. marine licenses for marine aggregate extraction, recycled aggregates and the potential throughputs from wharves/rail depots; and
 - an assessment of the balance between demand and supply, and the economic and environmental opportunities and constraints that might influence the situation. It should conclude if there is a shortage or a surplus of supply and, if the former, how this is being addressed
- 1.6. This is a joint LAA, prepared by Dorset County Council on behalf of Bournemouth and Poole Councils and covering the administrative areas of the county council and the two unitary authorities of Poole and Bournemouth. Unless specifically stated, references to the Mineral Planning Authority, or to 'Dorset', include all three Authorities. Local minerals policy is set by the Bournemouth, Dorset and Poole Minerals Strategy, which was adopted by all three Authorities in May 2014. It sets out the strategy for the supply of minerals, including aggregates, up to 2028.

- 1.7. Work is in progress on a Mineral Sites Plan (MSP) for Bournemouth, Dorset and Poole (BDP) to identify the sites that will deliver the various mineral needs set out in the Minerals Strategy.


The Resource

- 1.8. Dorset's varied geology makes it a mineral rich county with a diverse range of resources. Mineral extraction is tightly constrained by landscape and nature conservation interests. Much of the sand and gravel bearing areas coincide with important landscapes and designated habitats, but much also lies in areas where there are opportunities to avoid or mitigate against the adverse impact of development by re-creating habitats such as lowland heath.
- 1.9. Dorset contains deposits of both sand and gravel and underlying Poole Formation sands, and is also a low/moderate producer of crushed rock, sourced from Portland and Purbeck. Dorset's sand and gravel resources are largely concentrated in the south east of the county.
- 1.10. Dorset has one wharf at Poole, handling marine dredged sand and gravel; one railhead at Wool which has been used for exporting sand to London and one rail depot at Hamworthy (Poole), bringing crushed limestone from the Mendips (not currently in use).

Sand and Gravel

- 1.11. Sand and gravel in Dorset is produced primarily from Poole Formation sand (geologically considered a bedrock deposit) and river terrace or plateau sand and gravel (geologically considered a superficial deposit). Poole Formation sand is the most important source of sand in the plan area, outcropping in the south east of the county and forming hills and ridges in a broad zone stretching from Dorchester to Wareham and around the fringes of Poole and Verwood. The sands comprise a series of upward fining sequences, becoming finer grained with increasing silt content towards the south east. The large variations in particle size enable a wide range of products to be produced, but their unpredictable distribution presents difficulties. They form the most important source of sand in Dorset and give rise to the ecologically important heathlands.
- 1.12. Between these areas of higher land run the river valleys of the Frome, Piddle, Stour and Avon. Extensive spreads of river terrace sand and gravel are deposited along the flanks of these valleys. In the north-west, the valley of the River Axe contains exceptionally deep gravel deposits, around 20m thick. Large flint pebbles and cobbles are found within some river terrace deposits, particularly east of Dorchester. Plateau gravels are found capping many of the hills and ridges. Only isolated pockets now remain available, the majority already being worked out, built upon or of ecological importance. These deposits are of only limited economic importance.
- 1.13. The ball clay resource is also located within the Poole Formation with sand (and gravel) often forming a deep overburden over the clay. Permissions can be granted for the extraction of the sand and gravel, in advance of, alongside or after, the ball clay extraction. In Dorset, this sand and gravel is treated as a primary aggregate. The 2014 Minerals Strategy restricts the extraction of this sand and gravel resource associated with ball clay within the Dorset AONB.
- 1.14. Figure 1 below shows the general spatial distribution of these three types of sand and gravel. They occur predominantly in the south east of the plan area and coincide with the location of most of the urban development in Bournemouth, Dorset and Poole. Urban development sterilises much of the deposit.

Figure 1 – The Sand and Gravel Resource with Aggregate Quarries Operational in 2016



Aggregate sites in Dorset

- Poole formation deposits
- Plateau gravel deposits
- River terrace gravel deposits

- Operational sand and gravel extraction sites
- Operational sand extraction sites
- Operational crushed rock sites

GEOGRAPHICAL INFORMATION SYSTEMS



© Crown copyright and database rights 2017 Ordnance Survey 100019760.
 You are permitted to use the data solely to answer you to respond to or interact with, the organisation that provided you with the data. You are not permitted to copy, use, retransmit, distribute or sell any of the data to third parties in any form. Aerial Photography © UKPictometrics 2002
 © Geemping 2005, 2009 & 2014

Crushed rock

- 1.15. Crushed rock in Dorset is supplied from crushing of stone in the Portland quarries, and from Swanworth Quarry in Purbeck. On Portland, a large composite planning permission was granted in 1951, covering approximately two thirds of the plateau forming the top of the island and lasting until 2042. This is intended primarily to provide Portland Stone as dimension stone, but crushed rock is also produced as what is in effect a by-product, derived from the crushing of waste stone, offcuts and the underlying cherty series. Mining as a means of extracting dimension stone is becoming more widely used on Portland, and the waste stone is used in the restoration of worked out mines, potentially reducing the availability of stone for sales of crushed rock. Threats to continued crushed rock sales also include alternative restoration options for the quarries on Portland, where various uses have been proposed (e.g. Jurassica¹ in Broadcroft Quarry). These have the potential to reduce further the availability of crushed rock. In a number of cases mineral operators have relinquished the rights to crush stone, or blast and crush cherty, all further reducing the potential availability of crushed rock in the future. There is therefore no certainty that the full 19 mt of crushed rock reserves are and will remain available for extraction and sales. Most recently crushed rock has been produced in two quarries on Portland. Extraction of the cherty results in a deeper void space in the quarry once extracted.
- 1.16. The Jurassic Limestone is generally regarded as relatively weak, a softer rock than Carboniferous Limestone and is normally unsuitable as a concreting aggregate. It is often used as fill or as Type 1 aggregate for construction purposes. Stone to be crushed for aggregate sales is either waste stone resulting from production of dimension stone, certain other types of stone not suitable for dimension stone or stone from the cherty series, which forms the deepest quarried bed on Portland and is only suitable for crushing. Working of the cherty beds delays quarry restoration.
- 1.17. Similarly, Purbeck is an area of considerable environmental quality. The only crushed rock aggregate quarry outside of Portland is Swanworth Quarry, near Worth Matravers in Purbeck. It produces crushed rock (although not from the cherty series) from Portland Beds. Swanworth Quarry is situated within the AONB and the Heritage Coast.
- 1.18. Crushed rock is also imported from elsewhere, principally Somerset, both by road and historically by rail. This is much harder Carboniferous limestone suitable for road and other construction uses.

Historic Sales – crushed rock and sand and gravel

- 1.19. The National Planning Policy Framework (NPPF) requires a LAA to be based on a rolling average of sales over ten years – along with other relevant local information and an assessment of all supply options. Table 2 below sets out the ten-year average and three-year average sales figures for all the types of aggregates produced in Bournemouth, Dorset and Poole. Historic sales of land won aggregates, both sand and gravel and crushed rock, are set out below in Table 2 and Figure 2. All extraction is in the county of Dorset.

¹ A planned visitor attraction in a disused quarry on the Isle of Portland, southern England. It is based on the Jurassic Coast, a World Heritage Site, and as a subterranean geological park, will largely present the prehistoric world.


Table 2 – Aggregate Sales

Aggregate types	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	10 YEAR AVERAGE	3 YEAR AVERAGE
River Terrace	0.48	0.59	0.66	0.57	0.74	0.71	0.63	0.7	0.56	0.67	0.26	0.46	0.42	0.48	0.49	0.56	0.58	0.56	0.50	0.57
Poole Formation	0.84	1.02	1.15	0.99	0.89	0.95	1.08	1.10	1.00	1.00	1.00	0.95	1.1	0.95	1.11	1.17	0.92	0.82	1.00	0.97
Total Land-Won RT and PF	1.32	1.61	1.81	1.56	1.63	1.66	1.71	1.8	1.56	1.67	1.26	1.41	1.52	1.43	1.60	1.73	1.50	1.39	1.51	1.54
Land-Won Crushed Rock	0.31	0.42	0.44	0.38	0.34	0.30	0.20	0.19	0.27	0.29	0.27	0.26	0.15	0.15	0.16	0.28	0.24	0.20	0.23	0.24
Rail Imported Crushed Rock	-	-	-	-	0.14	0.16	0.12	0.1	0.1	0.11	0.03	0.05	0.07	0.04	0.00	0.00	0.00	0.00	0.04	0.00
Marine Dredged Sand and Gravel	-	-	-	-	0.07	0.08	0.08	0.10	0.09	0.11	0.08	0.09	0.09	0.09	0.08	0.09	0.09	0.08	0.09	0.09
Recycled aggregates	-	-	-	-	-	-	-	0.16	0.23	0.3	0.25	0.24	0.27	0.32	0.30	0.32	0.33	0.35	0.29	0.33
Total production	Not available							2.35	2.26	2.48	1.89	2.05	2.1	2.03	2.14	2.42	2.16	2.02	2.15	2.20

Table 2/Figure 2 - Notes.

- 1) Figures in million tonnes per annum.
- 2) Land-won sand and gravel 'split' between Poole Formation and River Terrace for 1999 to 2002 is estimated based on average proportional split for the years 2003 to 2014, and included in the 2014 Bournemouth, Dorset and Poole Minerals Strategy.
- 3) **Recycled Aggregate total based on some estimated figures - due to incomplete returns**

Figure 2 – Aggregate Sales 2000 - 2016



1.20. Table 2 and Figure 2 indicate:

- Sales of crushed rock continue to show a decline, although sales increased significantly between 2013 and 2014.
- Poole Formation sales remained relatively flat, with fluctuations since 2010 and decline since 2014.

- River Terrace aggregate showed a downward trend to a low in 2009, with a pronounced decline from 2008 to 2009. Since 2009 there has been an increase in sales, with a slight decline between 2015 and 2016.
- Table 2 shows a 10 year average of **1.51 mt per annum (mtpa) for land won sand and gravel** (Poole Formation and River Terrace combined) and **0.23 mtpa for crushed rock**.
- In addition to the 10 year average, paragraph 064 of National Planning Policy Guidance advises Mineral Planning Authorities to *look at average sales over the last three years in particular to identify the general trend of demand as part of the consideration of whether it might be appropriate to increase supply*. For the three years up to and including 2016, average sales of sand and gravel (Poole Formation and River Terrace combined) were **1.54 mtpa**. The 3 year average for crushed rock is **0.24 mtpa**, just above the 10 year average.

Crushed Rock

Landbank

- 1.21. The NPPF requires Mineral Planning Authorities to maintain a landbank of at least 10 years for crushed rock. The crushed rock landbank on Portland has been re-assessed. When the reassessed figure is added to the estimated reserve at Swanworth Quarry, the total figure is approximately 12,200,000 tonnes. The 10 year average of sales (2007 to 2016), taken from Table 2, is 230,000 tpa. If this figure is applied to the revised estimated reserve (**see Table 3**), this gives the following results:

Crushed rock landbank: 12.2 mt / 0.23 mtpa = c. 53 years

- 1.22. This figure is well in excess of the required 10 years, and also far in excess of the timescale of the current 2014 Bournemouth, Dorset and Poole Minerals Strategy or the emerging Draft Mineral Sites Plan. However, it should be noted that it is very difficult to determine (estimate) the crushed rock landbank with any accuracy. The landbank is almost entirely located on Portland and could change at relatively short notice.
- 1.23. The Draft Mineral Sites Plan (timetabled for submission to Secretary of State in March 2018) does not propose any new open-cast quarries on Portland, in line with the policy stance of the 2014 Minerals Strategy. An application for an extension to one of the mines was recently approved. No permissions for crushed rock quarries were issued in 2016.
- 1.24. The current Swanworth Quarry is the largest producer of crushed rock in Dorset, producing approximately half of the total annual output. With less than 5 years of reserves remaining, its closure would impact strongly on sales of crushed rock. The Draft Mineral Sites Plan includes a proposed extension to Swanworth Quarry in Purbeck. If the proposed quarry extension is ultimately unsuccessful, the annual output of crushed rock could fall below the current 10 year average during the timescale of the Plan unless quarries on Portland can significantly increase their output. However, Swanworth and its proposed extension are in the Dorset Area of Outstanding Natural Beauty, so there is uncertainty as to whether or not the extension will be achieved.

Importation of Crushed Granite

- 1.25. Crushed granite has in the past been imported into Poole Wharf from Northern Ireland for exclusive use in an asphalt producing plant in Poole. However, no granite was imported in 2016.

Rail Imports

- 1.26. Hamworthy rail depot in Poole, prior to its closure in 2012, received crushed limestone from Whatley Quarry in Somerset for local distribution and use. An average of approximately 90,000 tpa was imported up to the end of 2012, while the site was still active. No aggregate was imported in 2016 as the depot was not operational. The facility was reopened in 2017 and has resumed imports.
- 1.27. Opportunities for the establishment of additional rail depots are limited. In the north, where the Salisbury-Exeter line passes in and out of Dorset, the Mendip quarries are relatively close, but road links are more direct. The north-south single line from Yeovil to Dorchester passes through a rural area with limited opportunity and need for such a facility. On this line, and the main line from London to Weymouth, new depots or the expansion

of existing depots are encouraged through Policy AS 4 of the Minerals Strategy 2014. No new rail depots have been proposed through the call for sites carried out as part of production of the Mineral Sites Plan.

- 1.28. Rail sidings at Wool have been used, e.g. for the export of sand from Warmwell Quarry to London, and were last used in 2014. It is not clear whether they were used in 2016.

Road imports

- 1.29. It is difficult to put a firm figure on levels of input from road imported crushed rock as the amount brought in will depend largely on market demand/supply. Initial indications from the Aggregates Monitoring 2014 survey show that Dorset (Bournemouth, Dorset and Poole) consumed approximately 530,000 tonnes² of crushed rock, of which approximately 51% was produced in Dorset and the remainder primarily sourced from Somerset. Since the Hamworthy Depot was not in operation, this indicates that all was imported by road.
- 1.30. The Somerset Local Aggregate Assessment Fourth Edition, incorporating data from 2006 to 2015, notes that the county had estimated permitted reserves for crushed rock at the end of 2015 of approximately 380 mt, which is estimated to last for 28.4 years. Given that it is likely that Somerset will maintain its production of crushed rock and provided the demand exists in Dorset, it is expected that road imports will continue at levels dictated by the market, taking into account the resumption of rail imports into Poole.

² This figure varies from the figures provided by the BGS (AM2014 Source of Primary Aggregates by Region – percent categories) as there was an error in recording information collected through the 2014 AM survey.

Sand and Gravel

Landbank

- 1.31. The NPPF requires Mineral Planning Authorities to maintain a landbank of at least 7 years for sand and gravel. If the 10 year average of sales (2007 to 2016), taken from [Table 2](#), is applied to the reserve figures ([Table 3](#)), this gives the following results:

Sand and gravel reserves at end of 2016: 13.5 mt / 1.51 mt (10 year average to 2016) = 8.9 years

- 1.32. As noted above, land won sand and gravel in Dorset comprises Poole Formation sand and River Terrace sand and gravel. The landbank for sand and gravel (both Poole Formation and River Terrace aggregates combined) at the end of 2016 was almost 9 years, in excess of the required 7 years.
- 1.33. At this time the Mineral Planning Authority is in compliance with Policy AS1 of the 2014 Minerals Strategy which states that *"An adequate and steady supply of locally extracted sand and gravel will be provided by maintaining a landbank of permitted sand and gravel reserves equivalent to at least 7 years' worth of supply over the period to 2028, based on the current agreed local annual supply requirement for Bournemouth, Dorset and Poole"*. However, existing reserves are not enough to maintain sales during the life of the emerging Draft Mineral Sites Plan and additional sites will need to be developed during the plan period.
- 1.34. Permitted reserves at the end of 2016 were 13.6 million tonnes. However, by the end of 2018, when the Plan is expected to be adopted, this figure will have changed as sales continue and reserves fall. It is estimated that sales of sand and gravel during the period from the end of December 2016 to the end of December 2018 will be approximately 2.77 million tonnes (assuming sales in 2017 and 2018 remain generally in line with those for 2016), giving a permitted reserve of sand and gravel at the end of 2018 of approximately 10.78 million tonnes (without any new permissions).
- 1.35. Using this estimated figure, along with an end date for the plan period of 2033 (15 years from adoption, assuming adoption is in 2018) and the most recent ten year average of sand and gravel supply (2007- 2016) of 1.51 million tonnes per annum, the amount of sand and gravel to be provided for will be:

15 x 1.51 million tonnes = 22.65 million tonnes

- 1.36. The estimated existing reserve at the time of plan adoption is then subtracted from this figure:

22.65 million tonnes - 10.78 million tonnes = 11.87 million tonnes.

- 1.37. To meet the provision of sand and gravel from 2018 to 2033, at least 11.87 million tonnes will have to be provided for through new allocations. It is estimated that the sites proposed for allocation in the Draft Mineral Sites Plan below provide for up to 16.5 million tonnes. In addition to the estimated permitted reserves figure at the end of 2018 of approximately 10.78 million tonnes, this will provide a total supply of some 27.28 million tonnes over the plan period.
- 1.38. In addition, a sand and gravel Area of Search, identifying areas which are relatively unconstrained in landscape and biodiversity terms, is proposed through the Draft Plan to demonstrate flexibility and additional options in meeting the demand for aggregates.

- 1.39. The proposed figure for allocation, along with the Area of Search designated in Policy MS-2, is considered to adequately meet the need for sand and gravel over the life of the Plan and will meet the requirement for a steady and adequate supply of sand and gravel in accordance with Policy AS1 of the Minerals Strategy.

New Permissions

- 1.40. One new sand and gravel permission was issued in 2016 – Binnegar Quarry (extension) was approved in May 2016, with an estimated reserve of 2.27 mt of sand and 0.27 mt of gravel.

Current Supply of Land Won Aggregate – Reserves and Landbanks.

- 1.41. Existing aggregate quarries are set out in Table 4 (p.20), with operational quarries shown in Figure 1. These quarries have permitted stocks of reserves, and the level of reserves at 31st December 2016 is shown in Table 3 below.
- 1.42. Table 3 indicates the trending changes for sales and reserves for sand and gravel and crushed rock over the past 4 years.
- Although Poole Formation sales continue to fall since 2014, reserves have risen in 2016 due to the permission issued in May 2016 for an extension to the Binnegar site at Puddletown Road, operated by Raymond Brown. The permission was for 2.27 mt of sand and 0.27 mt of gravel. The Poole Formation landbank is now above 7 years again.
 - River Terrace sales have fallen in 2016, as have reserves, but landbank figures remain well above the 7 year level.
 - The crushed rock reserves, most of which are on Portland, are estimated and remain well in excess of the required 10 years. A more realistic assessment of reserves on Portland has been undertaken, indicating around a 50 year landbank of crushed rock. An extension to Swanworth Quarry in Purbeck is proposed through the Bournemouth, Dorset and Poole Mineral Sites Plan, currently proposed for Submission in March 2018 with adoption before the end of 2018. The status of the proposed extension is uncertain, given the location of the quarry in the AONB.

Aggregates landbank

- 1.43. As noted, Policy AS1 of the 2014 Minerals Strategy states that *“An adequate and steady supply of locally extracted sand and gravel will be provided by maintaining a landbank of permitted sand and gravel reserves equivalent to at least 7 years’ worth of supply over the period to 2028, based on the current agreed local annual supply requirement for Bournemouth, Dorset and Poole”*. The combined River Terrace and Poole Formation landbank has increased a small amount, reflecting the Binnegar permission, and remains above 7 years and the Mineral Planning Authority remains in compliance with Policy AS1.
- 1.44. It is considered that Policy AS1 does not require the Mineral Planning Authority to maintain separate Poole Formation and River Terrace landbanks, although (as discussed below) the supply of each type of aggregate is monitored as required by Policy AS2 of the Minerals Strategy.

Table 3 Sand and Gravel and Crushed Rock - Sales, Reserves and Landbank Figures

	2013	2014	2015	2016
Poole Formation Sales (tonnes)	1,108,192	1,170,024	917,191	823,081
Remaining Poole Formation Reserve (tonnes)	9,219,330	7,735,422	7,105,020	7,562,949
Poole Formation Landbank in years (based on 10 year average)	9.04	7.37	6.90	7.56
Poole Formation Landbank in years (based on 3 year average)	8.78	7.16	6.64	7.80
River Terrace Sales (tonnes)	494,493	563,337	583,840	563,018
Remaining River Terrace Reserve (tonnes)	7,963,900	7,463,000	6,722,000	5,985,000
River Terrace Landbank in years (based on 10 year average)	15	14	12.9	11.97
River Terrace Landbank in years (based on 3 year average)	17	15	12	10.50
Total (River Terrace and Poole Formation) Aggregate Sales (tonnes)	1,602,685	1,733,361	1,501,031	1,386,099
Remaining (River Terrace and Poole Formation) Reserve (tonnes)	17,183,230	15,198,422	13,827,020	13,547,949
Combined Landbank in years (based on 10 year average)	11	9.68	8.92	8.97
Combined Landbank in years (based on 3 year average)	11.30	9.56	8.59	8.80
Land-Won Crushed Rock Sales (tonnes)	169,280	282,772	239,517	197,873
Remaining Reserve (tonnes)	19,912,619 (?)	19,743,339 (?)	19,460,567 (?)	12,200,000
Crushed rock Landbank in years (based on 10 year average)	c. 80	c. 80	c. 80	c. 53
Crushed rock Landbank in years (based on 3 year average)	c. 80	c. 80	c. 80	c. 51

Crushed Rock Landbank

- 1.46. As set out in Table 3 above, the crushed rock landbank changed between 2015 and 2016.
- 1.47. Most of Dorset's crushed rock reserve is on the Isle of Portland. However, there are no specific crushed rock quarries on Portland – they are all dimension stone quarries, and the main business of the two companies working on Portland is selling dimension stone. Material such as unwanted stone offcuts and quarry/mining waste is crushed and sold as aggregate or armourstone. In addition, a layer of Cherty stone under the dimension stone can be crushed and sold as aggregate.
- 1.48. The majority of Portland is quarried under a permission issued in the 1950s with very few conditions/controls. There is no specific, permitted amount of crushed rock reserve that can be clearly identified and quantified and landbanks for crushed rock can vary.
- 1.49. The 2016 estimate set out in in Table 3 above takes a realistic view, including accounting for other development on Portland, such as housing development (which has required in some cases a buffer zone within which no mineral development is permitted) and aspects of the 1950s permission which have been given up under s106 agreements.
- 1.50. The only other crushed rock quarry in Dorset in Swanworth Quarry in Purbeck, which has about 6 years life left, a relatively small reserve.

Monitoring Separate Sand and Gravel Landbanks

- 1.51. It is considered that the two types of land-won aggregate (Poole Formation and River Terrace) are interchangeable and it is not possible to identify a clear and separate market for either one. The landbank is not split but as required by Policy AS2 of the 2014 Minerals Strategy the Mineral Planning Authority seeks to monitor the supply of Poole Formation and River Terrace aggregate through monitoring sales from quarries which produce primarily one type of aggregate or the other.
- 1.52. As shown in Table 3 above, at the end of 2016, reserves of Poole Formation were 7.6 mt and River Terrace was 6.0 mt. However, the levels of sales are different, with approximately 0.82 mt of Poole Formation (59.4%) sold compared with approximately 0.56 mt of River Terrace (40.6%) in 2016.
- 1.53. The ten year average sales figures from 2007 to 2016 are 1.00 mtpa for Poole Formation and 0.50 mtpa for River Terrace. If these sales figures are applied to the reserves figures, they **indicate** that the separate landbanks are around:

Poole Formation: 7.56 mt (reserves) / 1.00 mt (10 year average to 2016) = 7.56 years

River Terrace: 5.99 mt (reserves) / 0.50 mt (10 year average to 2016) = 11.97 years

- 1.54. The Poole Formation landbank is just over 7.5 years, up from less than 7 years in the previous year. This reflects the permission issued for Binnegar Quarry. The River Terrace landbank almost 12 years, down from the previous year.

Supply from other Mineral Planning Authorities

- 1.55. The Aggregates Monitoring 2014 survey indicated that Dorset (Bournemouth, Dorset and Poole) consumed approximately 730,000 tonnes of sand and gravel³, of which approximately 80%-90% was produced in Dorset and 10%-20% was imported from Hampshire, with very small amounts from other mineral planning authorities, including Devon and Wiltshire.
- 1.56. The supply from Hampshire is expected to be maintained, as there are two site allocations identified in the Hampshire Minerals and Waste Plan 2013 (Purple Haze at Verwood and Roeshot at Christchurch) immediately adjacent to Dorset. An application for the Hampshire Roeshot site is still under consideration but is expected to be determined early in 2018. As these sites are developed, it is expected that they will provide a significant local supply of aggregate to Bournemouth, Dorset and Poole.

Quarries in Dorset

- 1.57. Table 4 below lists the sand and gravel quarries in Dorset, showing the end-dates for the permissions and some further comments.

Table 4 – Status of Permitted Sand and Gravel Quarries in 2016

Name of Quarry	Operator	(Predominant) Aggregate Type	End of Permission
Binnegar Quarry	Raymond Brown	Poole Formation sand	<ul style="list-style-type: none"> End of 2015 (??) – successor (extension) site identified and under consideration Extension permitted 18.05.2016 – end date of permission 31.12.2030
Dorey's Pit	Holme Estate	Poole Formation sand	30.09.2026
Hines	Hanson	Poole Formation sand	<ul style="list-style-type: none"> 30.05.2016 End date extended to 30 May 2021
Hyde	Hanson	Poole Formation sand	22.02.2042
Masters North and South	Holme Sand & Ballast	Poole Formation sand	When mineral deposit is extracted or by 31.12.2032, whichever is sooner.

³ Information provided by the British Geological Survey.

Name of Quarry	Operator	(Predominant) Aggregate Type	End of Permission
Trigon Hill	Landowner	Poole Formation sand	<ul style="list-style-type: none"> • 31.12.2015 application to extend time limit currently awaiting decision • End date extended to 31 January 2021
Warmwell Quarry	Aggregate Industries	Poole Formation sand	<ul style="list-style-type: none"> • 31.12.2016 • Working has now ceased.
Tatchell's Quarry	Aggregate Industries	Sand	30.09.2018 or exhaustion of mineral reserve, whichever is sooner
Henbury Pit	M B Wilkes	Sand	21.02.2042
Moreton Pit	G Crook & Sons	Sand	31.12.2018
Avon Common	Tarmac	River Terrace sand and gravel	11 years from commencement of sales of sand and gravel – which has not yet begun although permission is implemented
Chard Junction Quarry	Aggregate Industries	River Terrace sand and gravel	31.03.2023
Hurn Court Farm	New Milton Sand & Ballast	River Terrace sand and gravel	26.09.2019
Woodsford Quarry	Hills Quarry Products	River Terrace sand and gravel	2028

Other Sources of Aggregate Supply for Dorset

- 1.58. As is the case with many other Mineral Planning Authorities, there are other sources of aggregate that Dorset can rely on, in addition to land-won aggregate. These include:
- **marine dredged aggregate** – sand and gravel dredged from the licensed dredging areas off the south coast
 - **recycled aggregate** – aggregate recycled from the processing of construction, demolition and excavation waste (CDEW), at either fixed processing sites or at construction sites
 - **secondary aggregates** - materials produced as industrial by-products, such as foundry sand or crushed glass. In the past spent foundry sand has been imported into Poole for use at the asphalt plant there, but these secondary aggregates were not imported in 2016. They can also be by-products of other mineral extraction as in the case of the sand removed to access underlying ball clay. However, in Dorset sand from this source is included with primary aggregate and is not recorded separately.
- 1.59. The following analysis reviews recent levels of supply of these various types of aggregate and considers the likelihood of their supply being maintained.

Marine Dredged Aggregate

- 1.60. Marine dredged sand and gravel is extracted from the sea bed from licensed areas off the coast of Hampshire, the Isle of Wight and West Sussex. These deposits of marine aggregate (sand and gravel) are considered to be fluvial, fluvio-glacial, or beach deposits formed during glacial episodes within the last 2 million years when sea levels were lower. Mineral rights for marine sand and gravel are owned by the Crown Estate, and extraction can only take place following the award of a marine licence by the Marine Management Organisation.

Table 5 – Summary of Marine Dredged Sales (mt)

Aggregate types	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	10 YEAR AVERAGE	3 YEAR AVERAGE
Marine Dredged Sand and Gravel	0.09	0.11	0.08	0.09	0.09	0.09	0.08	0.09	0.09	0.08	0.09	0.09

Poole Wharf


- 1.61. The only wharf currently landing marine dredged aggregates is Poole Wharf, operated by CEMEX in the Port of Poole. Landings have been relatively constant at around 90,000 tonnes per annum and are shown in Table 5. In 2016, 82,750 tonnes were landed at Poole Wharf. The ten year average of marine aggregate landings at Poole Wharf is approximately 90,000 tonnes, and the three year average is also approximately 90,000 tonnes. Both

of these figures are rounded in Table 5 above. Marine aggregate makes a relatively small contribution to the supply of aggregate in Dorset (approximately 4% in 2016) and much of what is landed is likely to be used within Poole and Bournemouth. In 2014, approximately 70% of marine dredged sand and gravel landed was consumed within Dorset (including Poole/Bournemouth).



1.62. Larger amounts of marine aggregate are landed at the wharves in Hampshire (particularly Southampton) but it is not known whether any of this aggregate is exported to Dorset. The marine aggregate landed at Poole Wharf is from the South Coast dredging region. **Figure 5**⁴ illustrates where the marine dredged aggregate is taken to and the resource and licenced dredging areas closest to Dorset. For the South Coast, that extracted tonnage is less than has been extracted historically.

Figure 5: Marine Dredged Aggregate – South Coast Region

Permitted & extracted tonnage



Delivery of marine aggregate to the region



9.7

million tonnes can be extracted from 14 licences


25

Current estimates suggest there are 25 years of primary marine aggregate production permitted

5

applications or exploration areas for licences could, if approved, increase the permitted tonnage by 2.15 million tonnes

During 2016 material extraction from the region was mainly delivered to:



⁴ Marine Aggregates – Capability and Portfolio: Crown Estate 2016

Constraints and Future Supply

- 1.63. The main constraints affecting future supply are the amount and availability of licensed areas for dredging and the capacity of the wharf to handle the material landed. As a relatively small wharf, capacity is limited. The wharf at Poole Port is safeguarded to protect its function. It has no planning restrictions regarding imports of aggregate. Capacity is influenced by factors such as the size and availability of dredgers, the permitted rates of dredging and then the capacity of the wharf to handle dredgers and the navigational restrictions.
- 1.64. Industry notes that while the wharf in Poole Harbour has some constraints (related to access to the berth, which requires supplying vessels to 'book in'), this is not believed to represent a constraint that limits the supply to the historic levels of around 90,000 tonnes. Instead, the level of supply provided relates to the scale of market demand that exists for marine products, compared to the wider portfolio of supply options. If the market demand altered or the balance of the supply portfolio changed, marine supplies could potentially play a larger role if required. It is understood from the operator that there is the potential for further tonnage to be landed should the market demand exist.
- 1.65. As shown in **Figure 6**, the Marine Aggregates Capability and Portfolio 2016 (Crown Estate) indicates that for the South Coast, the total current primary reserves (the current licensed production areas) are 97.54 mt, with a 10 year annual average offtake of 3.77 mt. This equates to a land bank of over 20 years, indicating that a continuation of supply (or even an increase, should the need arise) is expected to be possible from this source.

Figure 6 – Reserves and Reserve Life⁵

Reserves and resources

Reserves and resources

The PERC code defines “reserves” as the proportion of a mineral “resource” that can be mined for economic purposes

22

Current national estimates suggest there are **22 years** of primary marine aggregate production permitted

371

million tonnes

Current national estimates suggest there are **371 million tonnes** of total current primary reserves

Region	Total current primary reserves	10 year average annual offtake	3 year average annual offtake	Peak average offtake during 10 year period	Annual permitted offtake (as at 31.03.2016)	Regional reserve life @ 10 year average annual offtake
		Primary (construction aggregate)				
Humber	59.14	2.31	1.47	3.52	4.80	25.66
East Coast	85.06	5.46	4.48	8.01	8.45	15.58
Thames Estuary	22.50	0.91	0.94	1.74	2.70	24.67
East English Channel	83.84	2.79	3.56	4.32	10.0	30.01
South Coast	97.54	3.77	3.14	5.13	7.38	25.87
South West	4.28	1.20	1.08	1.77	1.70	3.57
North West	18.76	0.42	0.30	0.74	1.30	44.87
TOTAL	371.11	16.86	14.97	21.10	36.33	22.01

All figures are in millions of tonnes

⁵ Marine Aggregates – Capability and Portfolio: Crown Estate 2016

Recycled Aggregates

- 1.66. Recycled aggregates are usually construction, demolition and excavation (CDE) wastes such as brick, concrete, soils and sub-soils and road planings which can be re-used as aggregate, usually after some form of processing. This processing can include screening, sorting, crushing, washing or blending with land-won aggregate. Processing generally takes place either at fixed recycling sites (including quarries) where the product is sold on the open market; or at construction sites, where the demolition or extraction waste is processed and either re-used on site or sold.
- 1.67. Recycled aggregates reduce the demand for land-won or marine aggregate, and have a range of uses, including bulk fill for construction projects or as base layers for roads and other built development. When recycled aggregate is blended with land won material, as referred to earlier, the resultant 'hybrid' material can be used for higher specification applications.


Table 6 – Summary of Recycled Aggregate Sales (mt)

Aggregate types	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	10 YEAR AVERAGE	3 YEAR AVERAGE
Recycled aggregates	0.23	0.3	0.25	0.24	0.27	0.32	0.29	0.30	0.33	0.35	0.29	0.33

- 1.68. Although information on recycled aggregate sales is limited, ten years of survey data in Dorset is now available (see Table 5 and Figure 4). Some estimates have been used due to a lack of response from operators. In 2016 there were 14 known fixed aggregate recycling sites, as illustrated in Figure 7 and Table 7. Sales in 2016 were approximately 346,157 tonnes. The ten year average of sales is approximately 290,000 tonnes per annum and the three year average is approximately 330,000 tonnes. In 2013, recycled aggregate sales fell, but have risen annually since then. Some returns for 2014, 2015 and 2016 are estimated, due to lack of returns from some operators.
- 1.69. In addition to these fixed recycling sites it is expected that a significant amount of recycled aggregate is produced at development/construction sites, using mobile crushing/processing plant. It is difficult to estimate how much this might be. Paragraph 4.31 of the Survey of Arisings and Use of Alternatives to Primary Aggregates⁶ suggests that of the total sales of recycled aggregate, some 80% is derived from fixed sites with an additional 20% from construction sites. Given that this report is dated 2007, it may be that the proportion from mobile plant is now even higher as plant efficiency increases. Applying an 80/20 split to the estimated 2016 sales volumes, actual production in 2016 could have been around 430,000 tonnes.

⁶ Capita Symonds Ltd, in association with WRc plc. February 2007, Department for Communities and Local Government : London

Figure 7 – Fixed Recycling Facilities 2016




Bournemouth, Dorset and Poole Aggregate Recycling Sites

- Aggregate recycling site
- xxx Site reference number
- Administrative boundaries

Date: 24/03/2017
 Scale 1:356542
 Cent X: 379383
 Cent Y: 99813

GEOGRAPHICAL INFORMATION SYSTEMS



Dorset County Council

© Crown copyright and database rights 2017 Ordnance Survey 100019790
 You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form. Aerial Photography © UK Perspectives 2002
 © Getmapping 2005, 2009 & 2014

Table 7 - Recycled Aggregate Sites and Operators

Ref no	Site Name	Site Operator	MPA
D01	Downend Farm, Blandford Forum	Mark Farwell Plant Hire Ltd	Dorset
D02	Spratley Wood, Puddletown Road	Mr P Andrews	Dorset
D03	Redbridge Road Quarry, Moreton	G Crook & Sons	Dorset
D04	Masters Quarry, Puddletown Road	New Milton Sand & Ballast	Dorset
D05	Henbury Quarry, Wimborne	MB Wilkes Ltd	Dorset
D06	DCC Recycling site, Henbury (road planings)	DCC	Dorset
D07	Hurn Court Farm, Christchurch	New Milton Sand & Ballast	Dorset
D08	Chapel Lane, Christchurch	Eco Sustainable Solutions	Dorset
D09	Swanworth Quarry, Purbeck	J Suttle Transport	Dorset
P01	Whites Pit Landfill Recycling Site	Commercial Recycling Ltd	Poole
P02	Canford Recycled Aggregates Washing Plant	Commercial Recycling Ltd	Poole
P03	Dawkins Road Rail Head	Hanson	Poole
P04	Manning's Heath Depot, Manning's Heath	J Suttle Transport	Poole
B01	Elliott Road Industrial Estate, Bournemouth	New Milton Sand & Ballast	Bournemouth

Constraints and Future Supply

- 1.70. The total permitted capacity for aggregate recycling production is over 580,000 tonnes, above the level of current or average sales. There have been no recent new permissions. Existing recycling sites therefore potentially have capacity to increase sales in response to demand, should this be required. Constraints to increasing sales include:
- availability of material to be recycled
 - distance to be travelled by the material to be recycled
 - distance to be travelled by the recycled aggregate, and
 - loss of aggregate recycling sites through site closure or ending of temporary planning permission without renewal or being made permanent.
- 1.71. Demand will be affected by the limited range of applications of the product, the availability/price of other sources of aggregate and whether recycled aggregate would be technically suitable for specific needs. As the 2014 Minerals Strategy encourages increased sales and permitted capacity far exceeds current supply, it is expected that supply will increase as dictated by market demand and subject to availability of material to be recycled.

Uses of Dorset's Aggregate Resource

1.72. Aggregates have a range of uses in construction, with Dorset's aggregates being primarily for concrete, road construction and road maintenance (including asphalt). Other uses include constructional fill and armourstone (crushed rock). The physical properties of some aggregates (e.g. strength, shape) make them more suitable for some uses than others – for example, most Dorset limestone is relatively soft and not suitable for road construction or concrete manufacture.

1.73. AM 2014 showed that:

- for Dorset's land-won sand and gravel, the main uses are sand for concreting (54%) with gravel for concrete (17%) and sand for use in mortar (14%)
- for Dorset's crushed rock, the main uses are other screened and graded aggregates (51%) and Type 1 and 2 uncoated roadstone (34%)

1.74. The marine dredged aggregate was primarily used as sand or gravel for concreting, primarily within Dorset or elsewhere in the South-West.

Exports from Dorset

1.75. This section of the report considers movement of aggregates, including movements between Dorset and other mineral planning authorities, as informed by the 2014 Aggregates Monitoring survey.

1.76. Table 8 shows that of the 1.73 mt locally produced land-won sand and gravel sold in 2014, 0.86 mt (50.6%) were consumed in Dorset; 0.58 mt (34%) were exported to Dorset's immediate neighbours, 0.15 mt were exported to the rest of the south west and 0.15 mt (6.7%) were exported outside of the south-west (excluding Hampshire, which was included as one of Dorset's neighbours). This indicates that a relatively high proportion of land-won sand and gravel is exported from Dorset, primarily to its immediate neighbours, with a significant amount also going to SWE1, Avon.

1.77. For crushed rock and to a lesser extent marine dredged sand and gravel, a much higher proportion of what is produced in Dorset remains in Dorset. This is particularly true for crushed rock, with 97% of local production remaining within Dorset (including Bournemouth & Poole) - the Jurassic limestone produced in Dorset is relatively soft and is used for lower specification uses. It does not travel far.

Table 8 – Destination of aggregates sold in Dorset in 2014

Aggregate Type		Total Sales	Dorset	Hampshire, Wiltshire, Somerset and Devon	Rest of South West	Outside South West (excluding Hampshire)
Land-won sand and gravel	mt	1.74	0.86	0.58	0.15	0.15
	%	100%	49.4%	33.6%	8.5%	8.5%
Crushed Rock	mt	0.28	0.27	0.008		
	%	100%	97.2%	2.8%		
Marine Dredged Aggregates	mt	0.93	0.67	0.02	0.26	0
	%	100%	72%	0.2%	28%	0

mt = million tonnes

Consumption within Dorset

- 1.78. The AM2014 report along with additional material made available by the British Geological Survey⁷ shows that in 2014, Dorset consumed 800,000 tonnes of land-won and marine dredged sand and gravel - not including aggregate sold for non-aggregate uses i.e. industrial, agricultural, sports uses. Some 80-90% (up to 720,000 tonnes) of this was produced within Dorset, with 10% to 20% (up to 144,000 tonnes) coming in from Hampshire. Dorset is largely self-sufficient in land-won sand and gravel, and it is expected that the imports from Hampshire are supplying those areas close to the county boundary.
- 1.79. Similarly, in 2014 Dorset consumed 531,000 tonnes of crushed rock, of which approximately 51% was produced in Dorset and 49% came from Somerset

⁷ AM2014 source of primary aggregates by sub-region – percent categories (British Geological Survey, 2016)

Future Demand

- 1.80. Aggregates are primarily used in construction of new infrastructure and other built development, along with the maintenance of existing infrastructure. Future demand for aggregates will therefore be influenced by future levels of construction activity, including new development and maintenance of existing infrastructure.
- 1.81. Dorset is affected by demand both within and outside of the Mineral Planning Authority - overall land-won sand and gravel sales for the south west sub-national area has declined from 5,604,000 tonnes in 2001⁸ through 4,603,000 tonnes in 2005, 3,152,000 tonnes in 2009 and then increased to 3,278,000 tonnes in 2014. Comparative figures for Dorset are: 2001 – 1,605,000 tonnes; 2005 – 1,684,000 tonnes; 2009 – 1,273,000 tonnes and in 2014 – 1,605,000 tonnes. Sales have been more steady for Dorset itself. The reason for this, compared with the fall outside of Dorset, is not clear but could be due to various factors including the fact that Dorset is a supplier of aggregate (particularly Poole Formation sand) to other parts of the country such as south-east England, including London, and elsewhere in the south west.

Built development.

- 1.82. To help assess the future demand for aggregates this section looks at recent and proposed housing (with associated infrastructure) development and other major infrastructure proposed in the sub region. Housing, with associated infrastructure, is a significant user of the county's aggregates. This is likely to continue over the next decade. Table 9 below shows the levels of housing development that have been proposed in the district/borough councils' adopted plans. Although the plans cover different time periods they give a good indication of the levels of housing development anticipated over the next 10 years at least. No new plans have been adopted since the 2015 Local Aggregates Assessment.
- 1.83. Across the area as a whole, some 2,976 new dwellings are planned per annum. This figure may change, likely rising in coming years as Plans are reviewed in line with the requirements of the National Planning Policy Framework to meet the "objectively assessed need" (OAN) for housing in the area. As the Local Aggregates Assessment is prepared annually, it will take into account changes in the OAN.

⁸ Collation of the results of the 2001 Aggregate Mineral Survey for England and Wales (Prepared by British Geological Survey on behalf of ODPM 2001). Similarly for the 2005, 2009 and 2014 reports, though these were commissioned by Department for Communities and Local Government.

Table 9 - Proposed Housing Development in Local Plans / Development Plan Documents in Bournemouth, Dorset and Poole

Local Authority	Local Plan / DPD	Status	Plan period	Total Proposed dwellings	Annual average rate (dwells per annum)	Comments
Bournemouth Borough Council	Bournemouth Core Strategy	Adopted 2012	2006 – 2026	14,600	730	Review underway
Borough of Poole	Poole Core Strategy	Adopted 2009	2006 – 2026	10,000	500	Review underway.
Christchurch Borough Council + East Dorset District Council	Christchurch and East Dorset Core Strategy	Adopted 2014	2013 – 2028	8,490	566	Review underway
North Dorset District Council	North Dorset Local Plan Part 1	Adopted 2016	2011 – 2031	5700	285	Review Underway
Purbeck District Council	Purbeck Local Plan Part 1	Adopted 2012	2006 - 2027	2,520	120	Review underway.
West Dorset District Council + Weymouth and Portland Borough Council	West Dorset, Weymouth and Portland Local Plan	Adopted 2015	2011 – 2031	15,500	775	Review Underway
Bournemouth, Dorset and Poole				56,810	2,976	

Source: Dorset County Council Economy and Enterprise - BDP Local Plan/Core Strategy Monitoring.

Historic Levels of Development.

- 1.84. Table 10 shows the historic levels of housing/infrastructure development in Dorset over the 10 years 2007/8 – 2016/17. Over this 10 year period the average annual level of net dwelling completions across the three authorities (i.e. Bournemouth, Dorset and Poole) is 2,532. A sharp divide can be seen in the level of development pre and post 2009 when the housing recession really began to bite in Dorset. Completions pre 2009 were over 3,000 every year, hitting 3,700 in 2005/6, whereas from 2009/10 they fell below 2000 dwellings per annum, only recovering in 2014/15. For 2016/17, they have fallen again. The three year average rate of completions for 2014/15-2016/17 is 2,338 dwellings, above the 2,000 dwellings mark.
- 1.85. The higher rates of development seen in the earlier part of the decade indicate that, if the level of housing development does rise again in the future, the aggregate industry should be able to accommodate levels of 3,500 dwellings per annum over a period of several years as it has met demand at this level in the past. However, it will be important to keep monitoring the situation to initiate a plan review if necessary.

Table 10 - Net Annual Completions

Local Authority	2007/08	2008/09	2009/10	2010/11	2011/12	2012/13	2013/14	2014/15	2015/16	2016/17	2007/08 - 2016/17	10 YR AV	3 YR AV
Christchurch	190	101	102	103	62	71	149	154	125	195	1,252	106	158
East Dorset	163	116	70	157	107	61	156	180	182	124	1,316	119	162
North Dorset	194	207	192	272	375	144	227	178	220	142	2,151	201	180
Purbeck	208	194	164	77	107	79	72	67	250	89	1,307	122	135
West Dorset	345	383	204	330	377	366	259	251	666	603	3,784	318	507
Weymouth and Portland	275	410	150	130	169	204	113	148	201	169	1,969	180	173
DORSET	1,375	1,411	882	1069	1197	925	976	978	1644	1,322	11,779	1,046	1,199
Bournemouth	1,534	1218	622	492	555	639	394	964	817	581	7,816	724	725
Poole	619	685	421	257	187	208	257	199	438	629	3,900	327	298
Totals	3,528	3,314	1,925	1,818	1,939	1,772	1,627	2,141	2,899	2,532	23,495	2,096	2,338

Source: Dorset County Council, Economy and Enterprise - Residential Land Monitoring Records; District/Borough records.

Projected Development beyond current Plan periods

- 1.86. It is not yet known with certainty what level of development will be built beyond the proposals in the current Local Plans. A key objective of national planning policy as set out in the National Planning Policy Framework is to “boost significantly the supply of housing”. To that end local authorities should make objective assessments of housing need, working jointly with neighbouring authorities who share the same housing market area.
- 1.87. West Dorset and Weymouth and Portland Councils completed their Strategic Housing Market Assessment (SHMA) in 2014, and update it in 2017. Their Local Plan is based on the findings of this assessment and a review is underway. Other dates for SHMA/OAN housing figures are as shown in Table 11.
- 1.88. Considering the broad distribution of future development, it is expected that that the main focus will remain in and around Poole and Bournemouth. The Dorset Local Enterprise Partnership’s Strategic Economic Plan (2016) proposes major economic development at Aviation Park at

Bournemouth Airport and mixed development in the regeneration of the Port of Poole. A number of major urban extensions (Christchurch, Gillingham, Wimborne) together with development around the two Universities in Bournemouth and Poole will help to stimulate the urban economy. There are no proposed major infrastructure proposals identified at this time within Dorset in the National Infrastructure Plan.

Table 11 - Bournemouth, Dorset and Poole - Projected development beyond current Plans

Local Authority	Plan period	Total dwellings proposed (net).	Average annual rate (dpa ¹).	Objectively Assessed Need 2013-2033 in Eastern Dorset ² + WDWP SHMAs (average dpa)
Christchurch + East Dorset	2013-28	8,490	566	626
North Dorset	2011-31	5,700	285	330
Purbeck	2006-27	2,520	120	173 ³
West Dorset + Weymouth and Portland	2011-31	15,500	775	586 ⁴
DORSET		32,210	1,746	1,715
Bournemouth	2006 - 26	14,600	730	979
Poole	2006 - 26	10,000	500	714 ⁵
Total BDP		56,810	2,976	3,408

¹ dpa – dwellings per annum

² all 2015 unless otherwise noted

³Purbeck – 2017 Update

⁴ WDDC and W&P – 2017 update

⁵ Poole – 2017 update

Maintaining Supply

- 1.89. Minerals can only be worked where they are found and much of Dorset's environment is highly protected and under pressure from a range of other uses/constraints. Environmental designations (including European, national and local), landscape, heritage and other designations (e.g. the World Heritage Site) all restrict minerals development. Similarly, the water environment (including floodplains, Source Protection Zones, aquifers, groundwater depth and geology) can also restrict development. Minerals development has the potential to significantly affect settlements and tourism interests, although impacts should be mitigated if the development is properly located, designed and managed. However, the level of settlement and tourist interest in Dorset does have a limiting effect on minerals development.
- 1.90. The ability to deliver the levels of aggregate provision identified in the Minerals Strategy 2014, particularly regarding provision of land-won sand and gravel and crushed rock, is being tested during the preparation of the Mineral Sites Plan. In order to respond to unforeseen rises in demand for sand and gravel and crushed rock, the 2014 Minerals Strategy will be subject to robust monitoring of all policies so that sales can be related to supply/demand and the effectiveness of the policies at delivering minerals for BDP and surrounding areas can be continuously assessed. The LAA will specifically monitor aggregates sales and landbanks. If monitoring indicates that Policy AS1 is failing to meet demand, this could trigger a review of the Minerals Strategy or the relevant parts of it.

Capacity and Constraints

- 1.91. Individual sites have limits placed on their working by the planning permission under which they are worked. As with other aggregate sources, sales of sand and gravel are market driven, with increased demand leading to increased supply. In periods of lower economic growth and demand for construction, there will be less development of sand and gravel sites and lower production at such sites.
- 1.92. The landscape and environmental sensitivity of BDP also set limits on the development of mineral sites. Policy AS1 of the 2014 Minerals Strategy notes that: *Sites will only be considered where it has been demonstrated that possible effects (including those related to hydrology, displacement of recreation, species, proximity, land management and restoration) that might arise from the development would not adversely affect the integrity of the Dorset Heaths SAC, Dorset Heathlands SPA and Dorset Heathland Ramsar site either alone or in combination with other plans or projects.*
- 1.93. Environmental and landscape constraints could act to limit production. A lack of landowners willing to release their land for aggregates development could also be a constraint. In such a case there would need to be a reassessment of the provision for sand and gravel sales but it is not expected that these issues will threaten sales in the near future. This will become clearer as the sites identified for possible inclusion in the Mineral Sites Plan undergo sustainability appraisal.

Final Comment

- 1.94. It is considered that all sources of aggregate demonstrate capacity for some increase in supply, should demand increase, and no sharp increases in demand are expected in the next year. In the longer term, there are adequate landbanks for sand and gravel and crushed rock. The emerging Mineral Sites Plan seeks to identify and allocate adequate new sites to maintain production and sales. If for some reason it proves impossible to maintain supply, the strategy for mineral provision will have to be re-visited. It is therefore considered that it is appropriate to continue to use the 10 year average figure, as set out in this Local Aggregates Assessment, to establish the size of the landbank and level of provision for both sand and gravel and crushed rock.